

# HP LaserJet 3390 All-in-One



Rely on versatility, great productivity, fast performance, and legendary HP reliability—all from one device that prints, copies, faxes and scans.

## The fast performance you need

- **Accomplish more.** The HP LaserJet 3390 All-in-One (AiO) lets you print and copy complete, high-quality, documents in no time, at speeds of up to 22 pages per minute (ppm) letter.<sup>1</sup>
- **Work confidently—this product won't hold you up.** Instant-on Technology delivers fast first page out speeds—less than 11 seconds copying and less than 8.5 seconds printing—so you won't waste valuable time waiting for output. You can pick up your completed job before our competitors' devices have even begun to warm up.
- **Enjoy superior quality with genuine HP print cartridges.** With HP Smart printing technology,<sup>2</sup> the HP print cartridge and the device work together to achieve consistent, outstanding print quality, enhanced reliability, and a system that is easy to use, manage, and maintain. Automatic alerts let you know when the cartridge is low or out, and you can depend on convenient online ordering with HP SureSupply™.<sup>3</sup>
- **Be flexible with enhanced finishing features.** Standard automatic two-sided printing helps you conserve paper. Plus, this compact desktop product multitasks—if someone is printing or copying, you can still receive that important fax you've been waiting for.
- **Rely on one product to print, copy, fax, and scan.** Relax, knowing you can count on HP's proven reliability—trusted by millions of people every day.

## The productivity you deserve

- **Maintain your momentum.** With an optional 250-sheet input tray 3, you can get a total input capacity of up to 500 sheets, which means you can print more pages with less intervention and depend on the product to be ready when you need it.
- **Increase workteam efficiency.** The product effortlessly handles your volume demands with 64 MB memory (expandable to 192 MB), 4 MB fax memory, and a fast, reliable engine.
- **Manage your All-in-One simply.** HP ToolboxFX lets you interact with your product from the comfort of your desk, with configuration, status, and support for every feature.

## The versatility you expect

- **Get comprehensive print language support.** Print complex documents with built-in support for HP PCL5e, HP PCL6, and HP postscript level 3 emulation.
- **Share the All-in-One capabilities.** Easily and reliably connect multiple users with standard 10/100Base-T Ethernet networking or take advantage of easy direct connections with the Hi-Speed USB 2.0 port.

HP printing and imaging systems help you create powerful, professional communications easily. Printing and imaging devices, supplies, accessories, and services are designed together to work together and are invented to meet your business needs.

<sup>1</sup> Copy at up to 19 ppm letter using the automatic document feeder.

<sup>2</sup> Using genuine HP supplies ensures availability of all HP printing features.

<sup>3</sup> For more information, visit [www.hp.com/go/SureSupply](http://www.hp.com/go/SureSupply).


# HP LaserJet 3390 All-in-One

- 1 50-sheet ADF scanner quickly processes documents
- 2 Easy-to-use control panel with 10-key number pad and 2-line by 16-character display provides effortless interaction with each of the All-in-One's functions
- 3 Flatbed scanner for books or documents up to letter size
- 4 Automatic two-sided printing
- 5 Single-sheet priority slot
- 6 Adjustable 250-sheet input tray
- 7 Hi-Speed USB 2.0 port
- 8 10/100 wired Ethernet network port
- 9 4 MB fax memory stores up to 250 pages
- 10 64 MB device memory and a 264 MHz processor quickly and easily handle complex print jobs
- 11 RJ-11 fax port
- 12 RJ-11 line-out telephone port

HP LaserJet 3390 AiO shown



Ideal for small offices and workteams, this reliable performer increases productivity in a compact, desktop design.



### All-in-One efficiency

In the past, businesses have relied on a number of independent printing and imaging tools, including printers, fax machines, scanners, and copiers to provide the versatility they needed in order to communicate most effectively. Now, you can simplify your office environment and get all the features your workteam needs in one space-saving solution.

Consider some of the benefits of an HP LaserJet All-in-One:

- Reduce costs and increase efficiency by sharing AiO functions over a network.
- Manage fewer supplies, reducing total cost of ownership, storage, and service interruptions.
- Customize device settings to best satisfy your specific needs and simplify device and supply management with easy-to-use software utilities.

### Legendary HP reliability

The reliability of HP equipment, support, and service provides the solid foundation for user productivity. In fact, HP recently won its 14<sup>th</sup> award in a row from *PC Magazine's* "18<sup>th</sup> Annual Reader Satisfaction Survey." Readers evaluated printer manufacturers on a variety of criteria, including reliability and the quality of technical support. Instead of experiencing frustration and expensive downtime, users can get their work done!

### HP Smart printing technology advantage<sup>4</sup>

HP papers and HP LaserJet print cartridges are designed to work together with HP printing devices, so you can depend on producing consistent, high-quality documents. HP designs its print cartridges to produce the clarity needed for halftone images, smooth grayscales, and fine detail. HP Smart printing technology is activated every time you install an HP print cartridge, allowing you to monitor your current supplies, order new supplies, and print successfully every time. And each HP print cartridge continually adjusts toner properties to ensure high-quality output over the life of the cartridge.

### Award-winning HP support

HP offers a variety of support options to assist you in the setup and maintenance of the HP LaserJet 3390 AiO. HP's expert knowledge will help you make the most of your All-in-One and ensure your equipment is running at peak efficiency. Start with a one-year, limited warranty, backed by free telephone support from the award-winning HP Customer Care. To further guarantee trouble-free operation and maximize the potential of your HP LaserJet All-in-One, consider upgrading service and support options such as installation and extended-warranty support.

<sup>4</sup> Using genuine HP supplies ensures availability of all HP printing features.

# HP LaserJet 3390 All-in-One

| Technical specifications               |  | HP LaserJet 3390 AiO (Q6500A) |
|--|--|-------------------------------|
| <b>Print speed<sup>6</sup></b>         | Up to 22 ppm letter  |                               |
| <b>Copy speed<sup>6</sup></b>          | Up to 19 ppm letter  |                               |
| <b>First page out</b>                  | Printing: less than 8.5 seconds letter; copying: less than 10.6 seconds letter   |                               |
| <b>Print resolution</b>                | Up to 1200 by 1200 dpi   |                               |
| <b>Copying</b>                         | Resolution: up to 600 by 600 dpi, 24 bit depth; 1 or 2-sided copying; settings: contrast (lighter/darker), resolution copy quality (draft, text, mixed, film photo, and picture), reduce/enlarge 25 to 400%, copy collation, number of copies, paper size  |                               |
| <b>Faxing</b>                          | V.34 fax modem: 3 seconds per page <sup>7</sup> , fax speed: up to 33.6 kbps; resolution best mode: 300 by 300 dpi; 4 MB fax memory for storage of up to 250 pages, fax forwarding, delayed sending, ring detection, fax polling, broadcasting to up to 119 locations, speed-dial to up to 120 numbers (119 group dials), auto fax reduction, junk barrier, PC interface, and auto redialing supported   |                               |
| <b>Scanning</b>                        | Resolution: up to 1,200 by 1,200 dpi 24 bit (up to 19,200 dpi enhanced); interfaces: Walk-up scanning via front control panel with Scan-to button (software preconfiguration required), remote scanning via HP LaserJet Scan, and TWAIN- or WIA-compliant software; supported file types: JPEG, TIF, BMP, GIF, PDF, PNG  |                               |
| <b>Processor</b>                       | 264 MHz  |                               |
| <b>Memory, standard</b>                | 64 MB device memory, 4 MB fax memory   |                               |
| <b>Memory, maximum</b>                 | Device memory expandable to 192 MB through one available 100-pin DIMM slot   |                               |
| <b>Duty cycle</b>                      | 10,000 pages per month   |                               |
| <b>Paper handling</b>                  |  |                               |
| Input                                  | Single-sheet priority slot, 250-sheet tray 2; optional 250-sheet tray 3, 50-sheet ADF, standard automatic two-sided printing   |                               |
| Output                                 | 125-sheet face-down output bin   |                               |
| Sizes                                  | Priority slot, 250-sheet tray: 3 by 5 in (76 by 127 mm) to 8.5 by 14 in (216 by 356 mm); letter, legal, envelopes (No. 5 1/2 Baronial through No. 11), index cards, postcards ADF: 5.5 by 5.5 in (127 by 127 mm) to 8.5 by 15 in (215.9 by 381 mm); letter, legal; Automatic two-sided printing unit: letter, legal  |                               |
| Weights                                | Priority slot, 250-sheet tray: 16 to 43 lb (60 to 163 g/m <sup>2</sup> ); ADF: 16 to 24 lb (60 to 90 g/m <sup>2</sup> ); automatic two-sided printing unit: 16 to 28 lb (60 to 105 g/m <sup>2</sup> )  |                               |
| Types                                  | Paper (plain, preprinted, prepunched, bond, color, glossy, letterhead, light, heavy, recycled, rough), envelopes, transparencies, labels, cardstock  |                               |
| <b>Connectivity</b>                    |  |                               |
| Interfaces                             | Hi-Speed USB 2.0 port, 10/100Base-T wired Ethernet network port, RJ-11 fax port, RJ-11 line-out telephone port   |                               |
| Languages                              | HP PCL6, HP PCL5e, HP postscript level 3 emulation, PostScript® Printer Description (PPD)  |                               |
| Fonts                                  | 45 scalable TrueType, 35 PostScript  |                               |
| Client operating systems               | Windows® 2000, XP® Home, XP Professional, Mac OS X v 10.3 and higher (full solution)<br>Windows 98, 98 SE, ME, Server 2003 (print and scan only via USB port, print only via network)  |                               |
| Network operating systems <sup>8</sup> | Via built-in 10/100 Ethernet connection: Windows 98, Me, NT 4.0, 2000, XP, XP 64-Bit, Server 2003; Novell NetWare NDPS services via TCP/IP only on 3.2, 4.2, 5.x, 6.x; HP Gateway (TCP/IP raw only) and Novell LPD gateway; Apple Mac OS 10.3 and later; Bonjour discovery supported; Red Hat Linux® 6.x and later; SuSE Linux 6.x and later; HP-UX 10.20, 11.x; Solaris 2.5x, 2.6, 7, 8, 9, 10 (SPARC systems only); IBM AIX 3.2.5 and later; MPE-iX; Citrix MetaFrame; Windows Terminal Services |                               |
| Network protocols <sup>9</sup>         | Via built-in 10/100 Ethernet connection: TCP/IP: IP Direct Mode, LPD, SLP, Bonjour, BOOTP/ DHCP/ AutoIP, WINS, SNMP v 1, and HTTP  |                               |
| <b>Dimensions (w by d by h)</b>        | 19.5 by 15.7 by 18.5 in (495 by 400 by 470 mm)   |                               |
| <b>Weight with print cartridge</b>     | 39.1 lb (17.8 kg)  |                               |
| <b>What's in the box</b>               | HP LaserJet 3390 AiO, power cord(s), HP LaserJet Q5949A Black Print Cartridge with Smart Printing Technology, Getting Started Guide, support flyer, software and documentation CDs, control panel faceplate, Readiris PRO Text Recognition Software, ADF input support, phone cord(s)  |                               |

|  |  |
|--|--|
| <b>Environmental ranges</b>            |  |
| Temperature                            | Maximum operating: 59 to 90.5 degrees F (15 to 32.5 degrees C)<br>Storage: -4 to 104 degrees F (-20 to 40 degrees C)   |
| Relative humidity                      | Non-operating: 0 to 95%<br>Operating: 10 to 80%  |
| Altitude                               | 0 to 10,000 ft (0 to 3,040 m)  |
| <b>Acoustics<sup>9</sup></b>           |  |
|  | Power: active (copying): 6.9 B(A); Ready: Inaudible<br>Pressure (bystander): active (copying): 54 dB(A), Ready: Inaudible  |
| <b>Power requirements<sup>10</sup></b> |  |
|  | Input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 4.5 amp<br>220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), 2.6 amp  |
| <b>Power consumption<sup>10</sup></b>  |  |
| Active                                 | 355 watts  |
| Active copy                            | 340 watts  |
| Ready                                  | 15 watts   |
| PowerSave                              | 11 watts   |
| Off                                    | 0.02 watts   |
| <b>Certifications</b>                  |  |
| EMC                                    | CISPR 22: 1993+A1+A2/EN 55022:1994+A1+A2 - Class B; EN 61000-3-2: 1995/A14:2000; EN 61000-3-3: 1995+A1; EN 55024: 1998+A1+A2; FCC Title 47 CFR, Part 15 Class B 2/ICES-003, Issue 3; GB9254-1998 |
| Safety                                 | IEC 60950-1: 2001/EN 60950-1: 2001+A11; IEC 60825-1: 1993 + A1:1997 + A2: 2001/EN 60825-1: 1994 + A1: 2002 + A2: 2001 (Class 1 Laser/LED Product); GB4943-1995                                   |
| Telecom                                | TBR-21: 1998; EG 201 121: 1998, FCC Part 68, Industry Canada CS03, NOM-151-SCTI-1999 (Mexico)  |
| <b>Warranty</b>                        | One-year limited warranty  |
| <b>HP SureSupply™ enabled</b>          | To learn more, please visit <a href="http://www.hp.com/go/SureSupply">www.hp.com/go/SureSupply</a>   |

<sup>6</sup> Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>7</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will increase the transmission time.

<sup>8</sup> Not all protocol and operating system combinations are supported. For more information, go to: [www.hp.com/support/net\\_printing](http://www.hp.com/support/net_printing).

<sup>9</sup> Values subject to change. See [www.hp.com/support](http://www.hp.com/support) for current information. Configuration tested: base model, simplex printing, A4-size at average print speed of 22 ppm.

<sup>10</sup> Values subject to change. See [www.hp.com/support](http://www.hp.com/support) for current information. Power reported is the highest value measured using all standard voltages.

<sup>11</sup> Declared yield value in accordance with ISO/IEC 19752.



© Copyright 2006 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Energy Star and the Energy Star logo are U.S. registered marks of the United States Environmental Protection Agency. HP and the invent signature are trademarks of the Hewlett-Packard Company. Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. Linux is a U.S. registered trademark of Linus Torvalds.

Printed in the U.S.A.

For more information visit our website at [www.hp.com](http://www.hp.com)

4AA0-3470ENUC, 1/2006, Rev. 1

## Ordering information

| Product   | Number |
|---|--------|
| HP LaserJet 3390 All-in-One   | Q6500A |
| <b>Paper-handling accessories</b>   |        |
| 250-sheet input tray 3  | Q7556A |
| <b>Supplies</b>   |        |
| HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield 2,500 standard pages. <sup>11</sup> | Q5949A |
| HP LaserJet Black Print Cartridge with Smart Printing Technology. Average cartridge yield 6,000 standard pages. <sup>11</sup> | Q5949X |
| <b>Memory</b>   |        |
| 64 MB 100-Pin DDR DIMM  | Q2625A |
| 128 MB 100-Pin DDR DIMM   | Q2626A |
| <b>Service and support</b>  |        |
| 3 year, Return to Depot Service   | H2646E |
| 3 year, Next Business Day Exchange Service  | H5471E |
| 3 year, Next Business Day Onsite Service  | H5478E |
| Hardware Installation Service (standard)  | H4513E |
| <b>Paper</b>  |        |
| <a href="http://www.hp.com/go/everydaypapers">www.hp.com/go/everydaypapers</a>  |        |
| USA: 1-800-477-5010   |        |
| <b>Third-party solutions</b>  |        |
| <a href="http://www.hp.com/go/gsc">www.hp.com/go/gsc</a>  |        |

